











## mobile Car Wheel Alignment









HAWEKA AG Kokenhorststr. 4 - 30938 Burgwedel - Tel.: +49 5139/8996-0 Fax: +49 5139/8996-222 - info@haweka.com - www.haweka.com







The mobile Passenger Car Alignment System AXIS10 enables the quick and reliable measurement of vehicle's geometry data of different types of cars (passenger cars and van).





Features of Wheel Alignment AXIS10:

Fast measurement of single:

Ind. Toe, Total Toe, Camber, Toe-out-onturns, Caster, central positioning of steering wheel as well as ind. toe, Total Toe and Camber for the rear axle

All measurements are take in the driving position, lifting of the vehicle is not necessary.

Electronic inclinometer with digital display.

Simple mounting on rims by using quick clamps with grab arms for all steel and alloy rims.









Equipment of AXIS10:

- 2 Laser measuring heads
- 2 measuring heads with scales
- 1 Electronic inclinometer with digital display
- 2 Toe scales
- 2 Turning plates
- 1 Steering wheel lock
- 1 Steering Wheel Scale
- 1 brake pedal lock
- 1 Tool stand







## The Inclinometer:

Within a few seconds the electronic inclinometer can measure the different angles of the vehicle's geometry.

Camber is immediately shown after installation.

Move the steering wheel to 20 degrees each to the left and to the right. Then caster and inclination are shown on the display.

The steering lock necessary for the measurement is also confirmed by a LED signal.







Support Rams to Align cars on 2-Post-Lifts

Part-no. 921 001 004 (4 pieces)

Support Rams For 2-Post-Lifts



The 4 Support Rams are a perfect addition for the mobile car Wheel-Alignment-Sytsem AXIS10

The Support Rams helps to do wheel alignment on 2-post-lifts. The vehicle is set down with the wheels on the 4 Support Rams and gets in compression.

Optional Accessories for AXIS10

## The recess in the Support Ram gives the turntable a perfect fit.



4 Support Rams incl. 2 floating plate and 4 spacing strip.



HAWEKA AG Kokenhorststr. 4 • 30938 Burgwedel • Tel +49 5139 8996-0 • Fax +49 5139 8996-222 www.haweka.com • info@haweka.com